Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: | STRUHM |
|--------------------------------|--------|
|--------------------------------|--------|

Supplier's address: IDEUS, Niedźwiedziniec 10, 41-506 Chorzów, Poland

Model identifier: LATE LED 5m 300 CW BLISTER


| Tvi | рe | of | lig | ht | SO | urce | : |
|-------|----|----|-----|----|----|------|---|
| . , , | | • | о | | - | | • |

| Lighting technology used: | LED | Non-directional or directional: | NDLS | | |
|-------------------------------|---------|---------------------------------|-------|--|--|
| Light source cap-type | przewód | | | | |
| (or other electric interface) | | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No | | |
| Colour-tuneable light source: | No | Envelope: | - | | |
| High luminance light source: | No | | | | |
| Anti-glare shield: | No | Dimmable: | No | | |
| Product parameters | | | | | |
| Parameter | Value | Parameter | Value | | |

| Product parameters | | | | | |
|-------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------|---------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------|--|
| Parameter | | Value | Parameter | Value | |
| General product parameters: | | | | | |
| <u> </u> | nption in on- 00 h), rounded st integer | 24 | Energy efficiency class | Е | |
| dicating if it refe a sphere (360º) | s flux (фuse), in- ers to the flux in , in a wide cone errow cone (90º) | 2 925 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 6 500 | |
| On-mode power (P _{on}), expressed in W | | 24,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | |
| Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal | | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 81 | |
| Outer dimen- | Height | 2 | Spectral power dis- | See image | |
| sions without | Width | 5 000 | tribution in the | in last page | |
| separate con- trol gear, light- ing control | Depth | 8 | range 250 nm to 800 nm, at full-load | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | | |
|----------------------------------------------------------------------------|------|------------------------------|-------|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | |
| | | Chromaticity coordi- | 0,313 | | |
| | | nates (x and y) | 0,328 | | |
| Parameters for LED and OLED light sources: | | | | | |
| R9 colour rendering index value | 5 | Survival factor | 0,80 | | |
| the lumen maintenance factor | 0,70 | | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 16/08/2016



EPREL registration number: 737082 https://eprel.ec.europa.eu/qr/737082

Supplier: Ideus Spółka z o.o. (Importer) **Website:** www.struhm.com

Customer care service:

Name: IDEUS Website:

Email: import@ideus.pl Phone: +48327500308

Address:

Niedźwiedziniec 10, 41-506 Chorzów, Poland