Product Information Sheet

trol gear, light-


COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	ELEGATED REGUI	.ATION (EU) 2019/2	2015 with regard to energ	gy labelling of light
Supplier's name	or trade mark:	SPL		
Supplier's addre	ess: Schiefer Ligh	ting, Potterbakkers	straat 35, 4871EP Etten-l	eur, NL
Model identifie	r: L022450922			
Type of light so	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		G4		
(or other electric interface)				
Mains or non-mains:		NMLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers
		Product para	meters	
Parameter		Value	Parameter	Value
		General product		
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		1	Energy efficiency class	G
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		80 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 200
On-mode power (P _{on}), expressed in W		1,1	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80
Outer dimen-	Height	31	Spectral power dis-	See image
sions without	Width	10	tribution in the	in last page
separate con- trol gear, light-	Depth	10	range 250 nm to 800 nm. at full-load	

nm, at full-load

ing control parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,512			
		nates (x and y)	0,420			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	13	Survival factor	0,90			
the lumen maintenance factor	0,93					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 26/10/2021



EPREL registration number: 1030377 https://eprel.ec.europa.eu/qr/10

30377

Supplier: Schiefer Signaal Speciaallampen B.V. (Importer) Website: www.schiefer.nl

Customer care service:

Name: Schiefer Lighting Website: www.schiefer.nl

Email: info@schiefer.nl Phone: +31765037717

Address:

Potterbakkerstraat 35 4871EP Etten-Leur

Netherlands