
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources			ors with regard to energ	B) 1000 B 01B.1.0		
Supplier's name or trade mark: Duralamp S.p.A.						
Supplier's address: Customer Care, Via Pratese, 164 50145 Florence - Italy Model identifier: 28530SPHF						
Lighting techno	logy used:	LED	Non-directional or directional:	DLS		
Light source cap-type		GU5,3				
(or other electric interface)						
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No .	Dimmable:	No		
Product parameters						
Parameter		Value	Parameter	Value		
Energy consur	nntion in on-	General product p 6	Energy efficiency	G		
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		U	class	ď		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		460 in Nar- row cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P _{on}), expressed in W		6,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	52	Spectral power dis-	See image		
sions without separate con- trol gear, light- ing control	Width Depth	50 50	tribution in the range 250 nm to 800 nm, at full-load	in last page		

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	40		
		Chromaticity coordi-	0,440		
		nates (x and y)	0,403		
Parameters for directional light sources:					
Peak luminous intensity (cd)	830	Beam angle in degrees, or the range of beam angles that can be set	38		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	10	Survival factor	0,90		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 1048539 https://eprel.ec.europa.eu/qr/10

48539

Supplier: DURA LAMP SRL (Importer) Website: www.duralamp.com

Customer care service:

Name: Customer Care Website: http://www.duralamp.it

Email: duralamp@duralamp.it Phone: +39055894881

Address:

Via Pratese, 164 50145 Florence - Italy