## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	: Dural	lamp S.p.A.	
--------------------------------	---------	-------------	--

Supplier's address: Customer Care, Via Pratese 164, 50145 Florence, Italy

Model identifier: DG357C R02

Type	of	light	source:
-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0	


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	E27		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
· · · · · · · · · · · · · · · · · · ·		·	·

## **Product parameters**

Parameter		Value	Parameter	Value
	General product parameters:			
<u> </u>	nption in on- 00 h), rounded st integer	12	Energy efficiency class	E
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone errow cone (90º)	1 400 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 400
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	12,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	137	Spectral power dis-	See image
sions without	Width	95	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	95	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	94	
		Chromaticity coordinates (x and y)	0,305 0,331	
Parameters for LED and OLED li	Parameters for LED and OLED light sources:			
R9 colour rendering index value	10	Survival factor	0,70	
the lumen maintenance factor	1,00			
Parameters for LED and OLED mains light sources:				
displacement factor (cos φ1)	0,90	Colour consistency in McAdam ellipses	6	
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.		If yes then replace- ment claim (W)	-	
Flicker metric (Pst LM)	1,0	Stroboscopic effect metric (SVM)	0,9	

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 1447822 https://eprel.ec.europa.eu/qr/14

47822

Supplier: DURA LAMP SRL (Importer) Website: www.duralamp.com

**Customer care service:** 

Name: Customer Care Website: www.duralamp.com

Email: duralamp@duralamp.it Phone: +39055894881

Address:

Via Pratese 164, 50145 Florence, Italy