Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: FIAI

Supplier's address: Vertrieb, Egerbach 48, 6334 Schwoich, AT

Model identifier: 116750

Type of light source:

| Lighting technology used: | LED | Non-directional or directional: | DLS |
|-------------------------------|------|---------------------------------|---------------------------------|
| Light source cap-type | WIRE | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | Yes |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | Yes | Dimmable: | Only with spe- cific dimmers |


Product parameters

| Parameter | | Value | Parameter | Value | | | |
|---|-----------------------------------|-------------------------------|--|--------------|--|--|--|
| General product parameters: | | | | | | | |
| Energy consun mode (kWh/10 up to the neares | 00 h), rounded | 7 | Energy efficiency class | F | | | |
| Useful luminous dicating if it refe a sphere (360º), (120º) or in a na | ers to the flux in in a wide cone | 620 in Nar- row cone (90°) | Correlated colour temperature, rounded to the near- est 100 K, or the range of correlat- ed colour temper- atures, rounded to the nearest 100 K, that can be set | 3 000 | | | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 7,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | | | |
| Networked st (P _{net}) for CLS, e and rounded to imal | - | 0,45 | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 90 | | | |
| Outer dimen- | Height | 45 | Spectral power dis- | See image | | | |
| sions without | Width | 45 | tribution in the | in last page | | | |
| separate con- trol gear, light- | Depth | 90 | range 250 nm to 800 nm, at full-load | | | | |

| ing control parts and non- lighting con- trol parts, if any (millime- tre) | | | | | | |
|---|------|---|----------------|--|--|--|
| Claim of equivalent power ^(a) | - | lf yes, equivalent power (W) | - | | | |
| | | Chromaticity coordi- nates (x and y) | 0,436 0,406 | | | |
| Parameters for directional light sources: | | | | | | |
| Peak luminous intensity (cd) | 620 | Beam angle in de- grees, or the range of beam angles that can be set | 30 | | | |
| Parameters for LED and OLED light sources: | | | | | | |
| R9 colour rendering index value | 0 | Survival factor | 0,90 | | | |
| the lumen maintenance factor | 0,70 | | | | | |
| (a), , not applicable. | | · · · | | | | |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 30/04/2024



EPREL registration number: 2071319

Supplier: ISOLED FIAI Handels GmbH (Manufacturer)

Customer care service:

Name: Vertrieb

Email: office@isoled.at

Address: Egerbach 48 6334 Schwoich Austria https://eprel.ec.europa.eu/qr/20 71319

Website: www.isoled.at

Website: https://isoled.shop

Phone: +43 5372 219999