Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: OSRA

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC34141

_		•					
٠.	INA I	^ +	$-\alpha$	21	$c \sim$	ıır.	\sim
	ype (וצוו	IL	SU	uı	LE.
- 7	, , , , ,		0.			•	

Type of light source.					
Lighting technology used:	other FL	Non-directional or directional:	NDLS		
Light source cap-type	G13				
(or other electric interface)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:	No	Envelope:	-		
High luminance light source:	No				
Anti-glare shield:	No	Dimmable:	Yes		
Product parameters					
Parameter	Value	Parameter	Value		
General product parameters:					
Energy consumption in on-	15	Energy efficiency	G		


mode (kwii) 1000 ii), Todilaca		Class		
up to the nearest integer				
Useful luminous flux (фuse), in-	950 in	Correlated co	lour 4 000	
dicating if it refers to the flux in	Sphere (360°)	temperature		

dicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	Sphere (360°)	temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	
On-mode power (P _{on}), expressed in W	14,9	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00

pressed in W		·	expressed in W and rounded to the second decimal	
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	451	Spectral power dis-	See image
sions without	Width	26	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	26	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,380 0,380

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 03/09/2021



EPREL registration number: 546354 https://eprel.ec.europa.eu/qr/546354

Supplier: LEDVANCE GmbH (Manufacturer) Website: http://www.ledvance.com/

Customer care service:

Name: LEDVANCE GmbH Website:

Email: contact@ledvance.com Phone: +49 89-780673-100

Address:

Parkring 33, Garching, Germany