Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Duralamp S.p.A.			
Supplier's address: Customer Care, Via Pratese, 164 50145 Florence - Italy			
Model identifier: LFA60827-D			
Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
	I .		I .

LED	directional:	NDLS
E27		
MLS	Connected light source (CLS):	No
No	Envelope:	-
No		
No	Dimmable:	Only with spe- cific dimmers
	E27 MLS No No	MLS Connected light source (CLS): No Envelope: No


Colour-tuneable light source:	NO	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers	
Product parameters				
Parameter	Value	Parameter	Value	
General product parameters:				
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	8	Energy efficiency class	Е	
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone	1 055 in Sphere (360°)	Correlated colour temperature, rounded to the near-	2 700	

up to the neare.	ot integer			
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in, in a wide cone arrow cone (90º)	1 055 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode pow pressed in W	ver (P _{on}), ex-	8,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
(P _{net}) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	105	Spectral power dis-	See image
sions without	Width	60	tribution in the	in last page
separate con- trol gear, light-	Depth	60	range 250 nm to 800 nm, at full-load	

ing control parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equival	ent power ^(a)	Yes	If yes, equivalent power (W)	75	
			Chromaticity coordi-	0,458	
			nates (x and y)	0,416	
Parameters for	Parameters for LED and OLED light sources:				
R9 colour rende	ring index value	10	Survival factor	0,90	
the lumen maintenance factor		0,96			
Parameters for	Parameters for LED and OLED mains light sources:				
displacement fa	ctor (cos φ1)	0,50	Colour consistency in McAdam ellipses	6	
Claims that an L replaces a flu source without last of a particul	orescent light integrated bal-	_(b)	If yes then replace- ment claim (W)	-	
Flicker metric (P	st LM)	1,0	Stroboscopic effect metric (SVM)	0,9	

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 780351 https://eprel.ec.europa.eu/qr/780351

Supplier: DURA LAMP SRL (Importer) Website: www.duralamp.com

Customer care service:

Name: Customer Care Website: http://www.duralamp.it

Email: duralamp@duralamp.it Phone: +39055894881

Address:

Via Pratese, 164 50145 Florence - Italy