
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	ELEGATED REGUI	ATION (EU) 2019/2	015 with regard to ener	gy labelling of light
Supplier's name	e or trade mark:	Duralamp S.p.A.		
Supplier's addre	ess: Customer Ca	re, Via Pratese 164,	, 50145 Florence, Italy	
Model identifie	er: LFC374N			
Type of light so	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		E14		
(or other electric interface)				
Mains or non-mains:		MLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	No
		Product para		ı
Parameter		Value	Parameter	Value
		General product p		I
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		4	Energy efficiency class	E
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		470 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P <sub>on</sub> ), expressed in W		4,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	98	Spectral power dis-	See image
sions without separate con- trol gear, light- ing control	Width Depth	35 35	tribution in the range 250 nm to 800 nm, at full-load	in last page

parts and non- lighting con- trol parts, if any (millime- tre)							
Claim of equivalent power <sup>(a)</sup>		Yes	If yes, equivalent power (W)	40			
			Chromaticity coordinates (x and y)	0,458 0,410			
Parameters for LED and OLED light sources:							
R9 colour rendering index value		10	Survival factor	0,70			
the lumen maintenance factor		1,00					
Parameters for	Parameters for LED and OLED mains light sources:						
displacement factor (cos φ1)		0,50	Colour consistency in McAdam ellipses	6			
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.		_(b)	If yes then replace- ment claim (W)	-			
Flicker metric (Pst LM)		1,0	Stroboscopic effect metric (SVM)	0,9			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/09/2021



**EPREL registration number:** 780362 https://eprel.ec.europa.eu/qr/780362

Supplier: DURA LAMP SRL (Importer) Website: www.duralamp.com

**Customer care service:** 

Name: Customer Care Website: www.duralamp.com

Email: duralamp@duralamp.it Phone: +39055894881

Address:

Via Pratese 164, 50145 Florence, Italy