Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark:	: Ecosense Lighting
--------------------------------	---------------------

Supplier's address: Public contact, Via XXV Aprile 75B, Casorate Sempione (VA) 21011, Italy

Model identifier: SM16-07-36D-827-H1

T۱	/pe	of	lig	ht	SO	urc	e:
•)	, PC	0.	יסיי		30	u. c	C .

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	GU5.3		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
<u> </u>	mption in on- 00 h), rounded st integer	8	Energy efficiency class	F	
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone arrow cone (90º)	600 in Nar- row cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700	
On-mode pow pressed in W	ver (P _{on}), ex-	7,5	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
(P _{net}) for CLS, (tandby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90	
Outer dimen-	Height	45	Spectral power dis-	See image	
sions without	Width	50	tribution in the	in last page	
separate control gear, light-	Depth	50	range 250 nm to 800 nm, at full-load		

ing control parts and non-lighting control trol parts, if any (millimetre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,459	
		nates (x and y)	0,412	
Parameters for directional light sources:				
Peak luminous intensity (cd)	1 550	Beam angle in degrees, or the range of beam angles that can be set	36	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	50	Survival factor	1,00	
the lumen maintenance factor	0,96			

(a)_{'-'}: not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 01/01/2022



EPREL registration number: 859801 https://eprel.ec.europa.eu/qr/859801

Supplier: Ecosense Lighting (Importer) Website:

Customer care service:

Name: Public contact Website: https://www.ecosenseligh

ting.com/

Email: techsupport-soraa@ecosenselighting.com Phone: +44 (0)1753 628 499

Address:

Via XXV Aprile 75B, Casorate Sempione (VA)

21011, Italy