Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: S	SLV
----------------------------------	-----

Supplier's address: EPREL-Contact, Daimlerstraße 21-23, 52531 Übach-Palenberg, DE

Model identifier: LS_2309


Type of light source	Type	of light	source:
----------------------	------	----------	---------


Type of light source.				
Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	Unspecified			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Product parameters				
Parameter	Value	Parameter	Value	
	Canaval avaduat		•	

Froduct parameters				
Parameter		Value	Parameter	Value
General product parameters:				
Energy consummode (kWh/10 up to the neares	00 h), rounded	12	Energy efficiency class	D
Useful luminous dicating if it refe a sphere (360°), (120°) or in a na	ers to the flux in	1 909 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 900
On-mode pow pressed in W	ver (P _{on}), ex-	12,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	84
Outer dimensions without	Height Width	3 230	Spectral power distribution in the	See image in last page
separate con- trol gear, light- ing control	Depth	20	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,390	
		nates (x and y)	0,390	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	12	Survival factor	1,00	
the lumen maintenance factor	0,99			

(a)'-': not applicable; (b)'-': not applicable;





Model placed on the Union market from 01/03/2020



EPREL registration number: 916431 https://eprel.ec.europa.eu/qr/916431

Supplier: SLV GmbH (Importer) Website: www.slv.com

Customer care service:

Name: EPREL-Contact Website: www.slv.com

Email: eprel@slv.de **Phone:** +49 (0)2451 4833 0

Address:

Daimlerstraße 21-23 52531 Übach-Palenberg

Germany