Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address:	EPREL-Contact	, Daimlerstraße 21-23	, 52531 Übach-Palenberg	, DE
---------------------	---------------	-----------------------	-------------------------	------


Model identifier:	LS	2449
-------------------	----	------

T	- 6	10 - 1- 1		
IVna	α T	IIσnt	source:	,
IVDC	vı	HEILL	Jourte.	

Type of light so	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap	o-type	Unspecified		
(or other electri	ic interface)			
Mains or non-m	nains:	NMLS	Connected light source (CLS):	No
Colour-tuneable	e light source:	No	Envelope:	-
High luminance	light source:	No		
Anti-glare shield	d:	No	Dimmable:	No
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	parameters:	
	mption in on- 100 h), rounded st integer	9	Energy efficiency class	Е
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		1 146 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 072
On-mode power (P _{on}), expressed in W		9,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82
Outer dimen-	Height	3	Spectral power dis-	See image
sions without	Width	39	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	38	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,430
		nates (x and y)	0,400
Parameters for LED and OLED light sources:			
R9 colour rendering index value	6	Survival factor	1,00
the lumen maintenance factor	1,00		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/03/2017



EPREL registration number: 916585 https://eprel.ec.europa.eu/qr/916585

Supplier: SLV GmbH (Importer) Website: www.slv.com

Customer care service:

Name: EPREL-Contact Website: www.slv.com

Email: eprel@slv.de **Phone:** +49 (0)2451 4833 0

Address:

Daimlerstraße 21-23 52531 Übach-Palenberg

Germany