## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

<b>Supplier's name or trade mark:</b> LongLife LED GmbH by HK
---

Supplier's address: Henning Altena, Adolf-Meyer-Str. 5, 49828 Neuenhaus, Germany

Model identifier: 3502

Width

Depth

sions without

separate con-

trol gear, light-

control

ing

Type	٥f	liah+		
ivpe	OI.	IIKIIL	Soui	ce:

Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	Kabel (of-					
(or other electric interface)	fenes Ende)					
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	Yes			
Product parameters						
Parameter	Value	Parameter	Value			
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	60	Energy efficiency class	G			
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	2 280 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000			
On-mode power (P <sub>on</sub> ), expressed in W	60,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	9			
Outer dimen- Height	1	Spectral power dis-	See image			

6

5 000

range 250 nm to 800

nm, at full-load

in


the

tribution

in last page

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,380			
		nates (x and y)	0,380			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	9	Survival factor	0,70			
the lumen maintenance factor	1,00					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/01/2020



**EPREL registration number:** 929795 https://eprel.ec.europa.eu/qr/929795

Supplier: LongLife LED GmbH by HK (Importer) Website: www.longlife-led.de

**Customer care service:** 

Name: Henning Altena Website:

Email: info@longlife-led.de Phone: +4959412029960

Address:

Adolf-Meyer-Str. 5, 49828 Neuenhaus, Germany