## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: LED Labs Sp. z o.o., ul. Zakopiańska 2C, 30-418 Kraków Polska

Model identifier: TR-FL-DR-50W-NW-PIR

Tν	pe	of	light	source	•:
٠,	<b>P</b> C	٠.		504.00	••

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	wire		
(or other electric interface)			
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No


## **Product parameters**

		1 Todact parar		I		
Parameter		Value	Parameter	Value		
General product parameters:						
<u> </u>	nption in on- 00 h), rounded st integer	50	Energy efficiency class	F		
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone errow cone (90º)	8 200 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000		
On-mode power (P <sub>on</sub> ), expressed in W		50,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	205	Spectral power dis-	See image		
sions without	Width	210	tribution in the range 250 nm to 800 nm, at full-load	in last page		
separate con- trol gear, light- ing control	Depth	31				

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
		Chromaticity coordinates (x and y)	0,380 0,380		
Parameters for directional light sources:					
Peak luminous intensity (cd)	1 772	Beam angle in degrees, or the range of beam angles that can be set	110		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	-2	Survival factor	0,90		
the lumen maintenance factor	0,96				
Parameters for LED and OLED m	ains light sources:				
displacement factor (cos φ1)	0,90	Colour consistency in McAdam ellipses	6		
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	_(b)	If yes then replace- ment claim (W)	-		
Flicker metric (Pst LM)	0,2	Stroboscopic effect metric (SVM)	0,4		

(a)<sub>'-'</sub> : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 18/02/2022



**EPREL registration number:** 1050747 https://eprel.ec.europa.eu/qr/10

50747

Supplier: LED Labs S.A. (Importer) Website:

**Customer care service:** 

Name: LED Labs Sp. z o.o. Website: https://led-labs.pl/

Email: a.jaworski@led-labs.pl Phone: 733 377 705

Address:

ul. Zakopiańska 2C, 30-418 Kraków

Polska