# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

### Supplier's name or trade mark: Led Labs Lighting

Supplier's address: Product Manager, LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków

Model identifier: GOQ-3SAM-150-W75

### Type of light source:

| Lighting technology used:     | LED          | Non-directional or directional: | NDLS                            |
|-------------------------------|--------------|---------------------------------|---------------------------------|
| Light source cap-type         | przewód/wire |                                 |                                 |
| (or other electric interface) |              |                                 |                                 |
| Mains or non-mains:           | NMLS         | Connected light source (CLS):   | No                              |
| Colour-tuneable light source: | No           | Envelope:                       | -                               |
| High luminance light source:  | No           |                                 |                                 |
| Anti-glare shield:            | No           | Dimmable:                       | Only with spe-<br>cific dimmers |


**Product parameters** 

#### Parameter Parameter Value Value **General product parameters:** Energy consumption in on-2 Energy efficiency F mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-110 in Correlated colour 7 500 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 0,00 On-mode power (P<sub>on</sub>), 1,1 Standby power (P<sub>sb</sub>), expressed in W expressed in W and rounded to the second decimal Colour rendering in-80 Networked standby power (P<sub>net</sub>) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set Outer dimen-15 Spectral power dis-See image Height sions without tribution in the in last page Width 66 separate conrange 250 nm to 800 9 Depth trol gear, lightnm, at full-load

| ing control<br>parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre)<br>Claim of equivalent power <sup>(a)</sup> |      | If yes, equivalent                      |                |  |
|---|------|---|----------------|--|
|   |      | power (W)                               |                |  |
|   |      | Chromaticity coordi-<br>nates (x and y) | 0,315<br>0,325 |  |
| Parameters for LED and OLED light sources:  |      |   |                |  |
| R9 colour rendering index value   | 28   | Survival factor                         | 0,90           |  |
| the lumen maintenance factor  | 0,96 |   |                |  |

(a)'-' : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 23/01/2014



## EPREL registration number: 1266285

Supplier: LED Labs S.A. (Importer)

### **Customer care service:**

Name: Product Manager

Email: d.bargiel@led-labs.pl

### Address:

LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków https://eprel.ec.europa.eu/qr/12 66285

Website:

Website:

Phone: 733 377 705