## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: L	ed Labs Lighting.
----------------------------------	-------------------

Supplier's address: Product Manager, LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków

Model identifier: WI-3Y24V12WW9020

_	•			
IVna	Λt	light	source	٠.
IVDC	vı	HEILL	Jource	- •


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	wire		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

## **Product parameters**

Froduct parameters				
Parameter		Value	Parameter	Value
General product parameters:				
<u> </u>	nption in on- 00 h), rounded st integer	6	Energy efficiency class	F
dicating if it refe a sphere (360º) (120º) or in a na	s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º)	600 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	6,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	90
Outer dimen-	Height	3	Spectral power dis-	See image
sions without	Width	10	tribution in the	in last page
separate con- trol gear, light-	Depth	500	range 250 nm to 800 nm, at full-load	

ing control parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,433
		nates (x and y)	0,398
Parameters for LED and OLED light sources:			
R9 colour rendering index valu	ie 60	Survival factor	1,00
the lumen maintenance facto	r 0,96		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/12/2022



**EPREL registration number:** 1369528 https://eprel.ec.europa.eu/qr/13

69528

**Supplier:** LED Labs S.A. (Importer) **Website:** 

**Customer care service:** 

Name: Product Manager Website:

Email: d.bargiel@led-labs.pl Phone: 733 377 705

Address: LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków