# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

### Supplier's name or trade mark: Led Labs Lighting

Supplier's address: Product Manager, LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków

Model identifier: TR-T300-2835-WWHS

### Type of light source:

| Lighting technology used:     | LED           | Non-directional or directional: | NDLS                            |
|-------------------------------|---------------|---------------------------------|---------------------------------|
| Light source cap-type         | wire(przewód) |                                 |                                 |
| (or other electric interface) |               |                                 |                                 |
| Mains or non-mains:           | NMLS          | Connected light source (CLS):   | No                              |
| Colour-tuneable light source: | No            | Envelope:                       | -                               |
| High luminance light source:  | No            |                                 |                                 |
| Anti-glare shield:            | No            | Dimmable:                       | Only with spe-<br>cific dimmers |


**Product parameters** 

#### Parameter Parameter Value Value **General product parameters:** Energy consumption in on-3 Energy efficiency F mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-250 in Correlated colour 3 000 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the near-(120°) or in a narrow cone (90°) est 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 2,4 0,00 On-mode power (P<sub>on</sub>), Standby power (P<sub>sb</sub>), expressed in W expressed in W and rounded to the second decimal Colour rendering in-80 Networked standby power (P<sub>net</sub>) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set 3 Outer dimen-Spectral power dis-See image Height sions without tribution in the in last page 8 Width separate conrange 250 nm to 800 Depth 500 trol gear, lightnm, at full-load

| ing control<br>parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre)<br>Claim of equivalent power <sup>(a)</sup> | -            | If yes, equivalent                    | _     |
|---|--------------|---------------------------------------|-------|
|   |              | power (W)<br>Chromaticity coordi-     | 0,436 |
|   |              | nates (x and y)                       | 0,397 |
| Parameters for LED and OLED lig   | sht sources: |                                       |       |
| R9 colour rendering index value   | 0            | Survival factor                       | 1,00  |
| the lumen maintenance factor  | 0,93         |                                       |       |
| (2)   |              | · · · · · · · · · · · · · · · · · · · |       |

(a)'-' : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 10/02/2023



## **EPREL registration number:** 1421178

Supplier: LED Labs S.A. (Importer)

### **Customer care service:**

Name: Product Manager

Email: d.bargiel@led-labs.pl

### Address:

LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków https://eprel.ec.europa.eu/qr/14 21178

Website:

Website:

Phone: 733 377 705