Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: Led I | Labs Lighting |
|--------------------------------------|---------------|
|--------------------------------------|---------------|

Supplier's address: Product Manager, LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków

Model identifier: BS-T300-2835-CW-50M

| Type of lig | tht source: |
|-------------|-------------|
|-------------|-------------|


| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|----------------|---------------------------------|---------------------------------|
| Light source cap-type | Wire (przewód) | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |

Product parameters

| Product parameters | | | | | |
|--|--|-------------------------|--|--------------|--|
| Parameter | | Value | Parameter | Value | |
| General product parameters: | | | | | |
| Energy consur mode (kWh/10 up to the neare | 00 h), rounded | 3 | Energy efficiency class | F | |
| dicating if it refe a sphere (360º) | s flux (φuse), in- ers to the flux in , in a wide cone arrow cone (90º) | 300 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 6 000 | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 2,6 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | |
| (P _{net}) for CLS, 6 | tandby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 80 | |
| Outer dimen- | Height | 3 | Spectral power dis- | See image | |
| sions without | Width | 10 | tribution in the | in last page | |
| separate con- trol gear, light- | Depth | 5 000 | range 250 nm to 800 nm, at full-load | | |

| ing control parts and non-lighting control parts, if any (millimetre) | | | | |
|---|------|------------------------------|-------|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | |
| | | Chromaticity coordi- | 0,315 | |
| | | nates (x and y) | 0,329 | |
| Parameters for LED and OLED light sources: | | | | |
| R9 colour rendering index valu | e 0 | Survival factor | 1,00 | |
| the lumen maintenance factor | 0,96 | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 25/03/2024



EPREL registration number: 1823747 https://eprel.ec.europa.eu/qr/18

23747

Supplier: LED Labs S.A. (Importer) **Website:**

Customer care service:

Name: Product Manager Website:

Email: d.bargiel@led-labs.pl Phone: 733 377 705

Address: LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków