## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: L | ed Labs Lighting. |
|----------------------------------|-------------------|
|----------------------------------|-------------------|

Supplier's address: Product Manager, LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków

Model identifier: BS-T1600-COB-WW

| Type of light source: | Type | of light | source: |
|-----------------------|------|----------|---------|
|-----------------------|------|----------|---------|


| Lighting technology used:     | LED                                    | Non-directional or directional: | NDLS                            |
|-------------------------------|--|---------------------------------|---------------------------------|
| Light source on true          | \\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\ | unectional.                     |                                 |
| Light source cap-type         | Wire (przewód)                         |                                 |                                 |
| (or other electric interface) |  |                                 |                                 |
| Mains or non-mains:           | NMLS                                   | Connected light                 | No                              |
|                               |  | source (CLS):                   |                                 |
| Colour-tuneable light source: | No                                     | Envelope:                       | -                               |
| High luminance light source:  | No                                     |                                 |                                 |
| Anti-glare shield:            | No                                     | Dimmable:                       | Only with spe-<br>cific dimmers |

## Product parameters

| Product parameters                     |  |                         |  |              |
|--|--|-------------------------|--|--------------|
| Parameter                              |  | Value                   | Parameter  | Value        |
|  | General product parameters:  |                         |  |              |
|  | nption in on-<br>00 h), rounded<br>st integer                                    | 6                       | Energy efficiency class  | G            |
| dicating if it refe<br>a sphere (360º) | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>arrow cone (90º) | 460 in<br>Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000        |
| On-mode pow<br>pressed in W            | ver (P <sub>on</sub> ), ex-  | 5,5                     | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |
| (P <sub>net</sub> ) for CLS, 6         | andby power expressed in W the second dec-                                       | -                       | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 90           |
| Outer dimen-                           | Height   | 3                       | Spectral power dis-  | See image    |
| sions without                          | Width  | 10                      | tribution in the   | in last page |
| separate control gear, light-          | Depth  | 5 000                   | range 250 nm to 800<br>nm, at full-load  |              |

| ing control parts and non- lighting con- trol parts, if any (millime- tre) |      |                              |       |
|--|------|------------------------------|-------|
| Claim of equivalent power <sup>(a)</sup>                                   | -    | If yes, equivalent power (W) | -     |
|  |      | Chromaticity coordi-         | 0,444 |
|  |      | nates (x and y)              | 0,413 |
| Parameters for LED and OLED light sources:                                 |      |                              |       |
| R9 colour rendering index value  | -8   | Survival factor              | 1,00  |
| the lumen maintenance factor   | 0,96 |                              |       |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 25/03/2024



**EPREL registration number:** 1823808 https://eprel.ec.europa.eu/qr/18

23808

Supplier: LED Labs S.A. (Importer) Website:

**Customer care service:** 

Name: Product Manager Website:

Email: d.bargiel@led-labs.pl Phone: 733 377 705

Address: LED Labs S.A. ul. Zakopiańska 2C 30-418 Kraków