## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: MS-belysning

Supplier's address: AS Metall-Service/MS-Belysning, Gardermovegen 95 B, 2030 NANNESTAD, NO

Model identifier: 940000100


Type	of	light	source:	
------	----	-------	---------	--

Type of light source.				
Lighting technology used:	LED	Non-directional or directional:	NDLS	
Light source cap-type	integrated LED			
(or other electric interface)				
Mains or non-mains:	NMLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	Yes	
Product parameters				
Parameter	Value	Parameter	Value	

Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consummode (kWh/10 up to the neares	• •	7	Energy efficiency class	G		
dicating if it refe a sphere (360°)	s flux (фuse), ineers to the flux in, in a wide coneerrow cone (90º)	560 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	7,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,34		
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
Outer dimen-	Height	170	Spectral power dis-	See image		
sions without	Width	715	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	100	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,314		
		nates (x and y)	0,334		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	6	Survival factor	0,90		
the lumen maintenance factor	0,96				

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 03/01/2022



**EPREL registration number:** 2046138 https://eprel.ec.europa.eu/qr/20

46138

Supplier: AS METALL-SERVICE (Importer) Website: www.ms-belysning.no

**Customer care service:** 

Name: AS Metall-Service/MS-Belysning Website: www.ms-belysning.no

Email: post@ms-belysning.no Phone: +4763888500

Address:

Gardermovegen 95 B 2030 NANNESTAD

Norway