Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's	name or trade mark:	Greenlight
------------	---------------------	------------

Supplier's address: Customer support, Vestvollveien 34b, 2019 Skedsmokorset, NO

Model identifier: 57592-060-53

Type of light source:			
Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Integrated LED		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Yes
Product parameters			
Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on- mode (kWh/1000 h), rounded	40	Energy efficiency class	F


mode (kwh/1000 n), rounded		ciass	
up to the nearest integer			
Useful luminous flux (фuse), in-	4 300 in Wide	Correlated	colour
1	(4300)		

1 0			
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	4 300 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	30006500
On-mode power (P _{on}), expressed in W	40,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,32
Networked standby power	-	Colour rendering in-	83

			rounded to the sec- ond decimal	
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	83
Outer dimen-	Height	70	Spectral power dis-	See image
sions without	Width	580	tribution in the	in last page
separate con- trol gear, light- ing control	Depth	580	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,351
		nates (x and y)	0,337
Parameters for LED and OLED light sources:			
R9 colour rendering index value	13	Survival factor	0,93
the lumen maintenance factor	0,97		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 20/10/2021



EPREL registration number: 2049349 https://eprel.ec.europa.eu/qr/20

49349

Supplier: K ENG & CO AS (Importer) Website: www.lampehuset.no

Customer care service:

Name: Customer support Website: www.lampehuset.no

Email: nettbutikk@lampehuset.no Phone: +4722324536

Address:

Vestvollveien 34b 2019 Skedsmokorset

Norway