## **Product Information Sheet**


ing control

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

sources	ELEGATED REGUI	LATION (EU) 2019/20	015 with regard to ener	gy labelling of light		
Supplier's name or trade mark: Nova Life						
Supplier's address: Customer support, Vestvollveien 34b, 2019 Skedsmokorset, NO						
Model identifie	r: 40524-001-70					
Type of light so	urce:					
Lighting technology used:		LED	Non-directional or directional:	DLS		
Light source cap-type		Integrated LED				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable	e light source:	No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	No		
Product parameters						
Parameter		Value	Parameter	Value		
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		3	Energy efficiency class	G		
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		120 in Nar- row cone (90°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000		
On-mode power (P <sub>on</sub> ), expressed in W		3,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,10		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	200	Spectral power dis-	See image		
sions without separate con- trol gear, light-	Width	90	tribution in the range 250 nm to 800 nm, at full-load	in last page		
	Depth	220				

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,437			
		nates (x and y)	0,412			
Parameters for directional light sources:						
Peak luminous intensity (cd)	554	Beam angle in degrees, or the range of beam angles that can be set	20			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	20	Survival factor	0,90			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 26/03/2025



**EPREL registration number:** 2266894 https://eprel.ec.europa.eu/qr/22

66894

Supplier: K ENG & CO AS (Importer) Website: www.lampehuset.no

**Customer care service:** 

Name: Customer support Website: www.lampehuset.no

Email: nettbutikk@lampehuset.no Phone: +4722324536

Address:

Vestvollveien 34b 2019 Skedsmokorset

Norway