

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** daytime®

**Supplier's address:** Service, Sapelloh 51, 31606 Warmсен, DE

**Model identifier:** onex60 black (Dennerle Version)

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	andere elektrische Schnittstelle		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with specific dimmers

## Product parameters


Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	17	Energy efficiency class	B
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	3 024 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	7 000
On-mode power ( $P_{on}$ ), expressed in W	16,8	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	85
Outer dimensions without separate con-	Height	14	Spectral power distribution in the See image in last page
	Width	540	
	Depth	20	

trol gear, lighting control parts and non-lighting control parts, if any (millimetre)			range 250 nm to 800 nm, at full-load	
Claim of equivalent power <sup>(a)</sup>	-		If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,294 0,295
<b>Parameters for directional light sources:</b>				
Peak luminous intensity (cd)	815		Beam angle in degrees, or the range of beam angles that can be set	120
<b>Parameters for LED and OLED light sources:</b>				
R9 colour rendering index value	34		Survival factor	-
the lumen maintenance factor	-			

(a): not applicable;

(b): not applicable;

*Spektrale Lichtverteilung:*



Model placed on the Union market from 07/10/2025



**EPREL registration number:** 2493542

<https://eprel.ec.europa.eu/qr/2493542>

**Supplier:** Tropical Heimtierbedarf Deutschland GmbH (Manufacturer)

**Website:** <https://www.tropical-deutschland.de/>

**Customer care service:**

**Name:** Service

**Website:** [www.daytime.de](http://www.daytime.de)

**Email:** [info@daytime.de](mailto:info@daytime.de)

**Phone:** +4957679414390

**Address:**

Sapelloh 51  
31606 Warmsen  
Germany