# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Hübsch A/S

**Supplier's address:** Hübsch kundeservice, Hi-Park 381, 7400 Herning Herning, DK

**Model identifier:** 962131

**Type of light source:**

| | | | |
|---|---|---|---|
| Lighting technology used: | LED | Non-directional or directional: | NDLS |
| Light source cap-type (or other electric interface) | N/A | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Yes |

**Product parameters**

| Parameter | Value | Parameter | Value |
|---|---|---|---|
| **General product parameters:** | | | |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer | 3 | Energy efficiency class | G |
| Useful luminous flux (ϕuse), indicating if it refers to the flux in a sphere (360º), in a wide cone (120º) or in a narrow cone (90º) | 230 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000 |
| On-mode power ($P_{on}$), expressed in W | 3,0 | Standby power ($P_{sb}$), expressed in W and rounded to the second decimal | 0,00 |
| Networked standby power ($P_{net}$) for CLS, expressed in W and rounded to the second decimal | - | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set | 90 |
| Outer dimensions without separate control gear, lighting control — Height | 45 | Spectral power distribution in the range 250 nm to 800 nm, at full-load | See image in last page |
| Outer dimensions without separate control gear, lighting control — Width | 21 | | |
| Outer dimensions without separate control gear, lighting control — Depth | 21 | | |

| | | | | |
|---|---|---|---|---|
| parts and non-lighting control parts, if any (millimetre) | | | | |
| Claim of equivalent power[(a)] | | - | If yes, equivalent power (W) | - |
| | | | Chromaticity coordinates (x and y) | 0,444<br>0,393 |
| **Parameters for LED and OLED light sources:** | | | | |
| R9 colour rendering index value | | 63 | Survival factor | 1,00 |
| the lumen maintenance factor | | 0,96 | | |

[(a)] '-' : not applicable;

[(b)] '-' : not applicable;

**Test Data Sheet 6: Spectral power distribution**

**Model:** Light Source of 962131

Chromaticity Coordinate: x = 0.4436 y = 0.3925



**EPREL registration number:** 2527800

Model placed on the Union market from 08/11/2025.

https://eprel.ec.europa.eu/qr/2527800

**Supplier:** Hübsch A/S (Manufacturer) **Website:** www.hubsch-interior.com

**Customer care service:**

**Name:** Hübsch kundeservice **Website:** www.hubsch-interior.com

**Email:** Info@hubsch-interior.com **Phone:** +45 32421810

**Address:**
Hi-Park 381
7400 Herning
Denmark