

Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: JCB

Supplier's address: JCB Tools, Wapienna 6, 87-100 Toruń Toruń Kujawsko-pomorskie, PL

Model identifier: JCB-WL-POCKET-II

Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	Brak - źródło zintegrowane (zasilane z wbudowanego akumulatora Li-ion, ładowanie USB-C)		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No


Product parameters

Parameter	Value	Parameter	Value
General product parameters:			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	8	Energy efficiency class	F
Useful luminous flux (ϕ_{use}), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	800 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500
On-mode power (P_{on}), expressed in W	8,0	Standby power (P_{sb}), expressed in W and rounded to the second decimal	0,00
Networked standby power (P_{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	70

Outer dimensions without separate control gear, lighting control parts and non-lighting control parts, if any (millimetre)	Height	156	Spectral power distribution in the range 250 nm to 800 nm, at full-load	See image in last page
	Width	69		
	Depth	31		
Claim of equivalent power ^(a)		-	If yes, equivalent power (W)	-
			Chromaticity coordinates (x and y)	0,313 0,329
Parameters for directional light sources:				
Peak luminous intensity (cd)		300	Beam angle in degrees, or the range of beam angles that can be set	120
Parameters for LED and OLED light sources:				
R9 colour rendering index value		0	Survival factor	1,00
the lumen maintenance factor		0,80		

(a) : not applicable;

(b) : not applicable;



EPREL registration number: 2767053

Model placed on the Union market from 17/06/2026.



<https://eprel.ec.europa.eu/qr/2767053>

Supplier: "INTERHANDLER" SPÓŁKA Z OGRANICZONĄ
ODPOWIEDZIALNOŚCIĄ (Importer)

Website: www.interhandler.pl

Customer care service:

Name: JCB Tools

Website: sklep.jcb-tools.pl

Email: b.lapszys@jcb-tools.pl

Phone: +48603174625

Address:

Wapienna 6
87-100 Toruń
Poland