# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

### Supplier's name or trade mark: Led Labs Lighting

Supplier's address: LED Labs Sp. z o.o., ul. Zakopiańska 2C, 30-418 Kraków Polska

### Model identifier: WI-3Y24V18WW20

### Type of light source:

trol gear, light-

| Lighting technology used:     | LED  | Non-directional or | NDLS           |
|-------------------------------|------|--------------------|----------------|
|                               |      | directional:       |                |
| Light source cap-type         | wire |                    |                |
| (or other electric interface) |      |                    |                |
| Mains or non-mains:           | NMLS | Connected light    | No             |
|                               |      | source (CLS):      |                |
| Colour-tuneable light source: | No   | Envelope:          | -              |
| High luminance light source:  | No   |                    |                |
| Anti-glare shield:            | No   | Dimmable:          | Only with spe- |
|                               |      |                    | cific dimmers  |

**Product parameters** 


#### Parameter Parameter Value Value **General product parameters:** Energy consumption in on-9 Energy efficiency F mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-950 in Correlated colour 3 000 dicating if it refers to the flux in Sphere (360°) temperature, a sphere (360°), in a wide cone rounded to the nearest 100 K, or the (120°) or in a narrow cone (90°) range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 9,0 0,00 On-mode power (P<sub>on</sub>), Standby power (P<sub>sb</sub>), expressed in W expressed in W and rounded to the second decimal Colour rendering in-80 Networked standby power (P<sub>net</sub>) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set 3 Outer dimen-Spectral power dis-See image Height sions without tribution in the in last page Width 10 separate conrange 250 nm to 800 Depth 500

nm, at full-load

| ing control<br>parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre)<br>Claim of equivalent power <sup>(a)</sup> | -            | If yes, equivalent power (W) | _     |
|---|--------------|------------------------------|-------|
|   |              | Chromaticity coordi-         | 0,429 |
|   |              | nates (x and y)              | 0,397 |
| Parameters for LED and OLED lig   | sht sources: |                              |       |
| R9 colour rendering index value   | 9            | Survival factor              | 1,00  |
| the lumen maintenance factor  | 0,96         |                              |       |
| (2)   | 1            | I                            |       |

(a)'-' : not applicable;

(b)<sub>'-'</sub> : not applicable;



Model placed on the Union market from 23/05/2019



## **EPREL registration number:** 668932

Supplier: LED Labs S.A. (Importer)

### **Customer care service:**

Name: LED Labs Sp. z o.o.

Email: a.jaworski@led-labs.pl

### Address:

ul. Zakopiańska 2C, 30-418 Kraków Polska https://eprel.ec.europa.eu/qr/668932

Website:

Website: https://led-labs.pl/

Phone: 733 377 705