Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: L | ed Labs Lighting |
|----------------------------------|------------------|
|----------------------------------|------------------|

Supplier's address: LED Labs Sp. z o.o., ul. Zakopiańska 2C, 30-418 Kraków Polska

Model identifier: WI-3Y24V16RNW20

| T | - 6 | 10 - 1- 1 | |
|----------|------------|-----------|----------|
| IVno | α T | IIσnt | CULILCO. |
| IVDC | vı | IIGIIL | source: |


| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|------|---------------------------------|---------------------------------|
| Light source cap-type | wire | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | Yes | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |

Product parameters

| Froduct parameters | | | | |
|--|---|-------------------------|--|--------------|
| Parameter | | Value | Parameter | Value |
| General product parameters: | | | | |
| <u> </u> | nption in on- 00 h), rounded st integer | 2 | Energy efficiency class | F |
| dicating if it refe a sphere (360º) | s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º) | 184 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 4 000 |
| On-mode pow pressed in W | ver (P _{on}), ex- | 2,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 |
| (P _{net}) for CLS, 6 | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 80 |
| Outer dimen- | Height | 500 | Spectral power dis- | See image |
| sions without | Width | 10 | tribution in the | in last page |
| separate con- trol gear, light- | Depth | 3 | range 250 nm to 800 nm, at full-load | |

| ing control parts and non-lighting control parts, if any (millimetre) | | | |
|---|------|------------------------------|-------|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity coordi- | 0,373 |
| | | nates (x and y) | 0,372 |
| Parameters for LED and OLED light sources: | | | |
| R9 colour rendering index value | 22 | Survival factor | 1,00 |
| the lumen maintenance factor | 0,96 | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 10/08/2021



EPREL registration number: 835356 https://eprel.ec.europa.eu/qr/835356

Supplier: LED Labs S.A. (Importer) **Website:**

Customer care service:

Name: LED Labs Sp. z o.o. Website: https://led-labs.pl/

Email: a.jaworski@led-labs.pl Phone: 733 377 705

Address:

ul. Zakopiańska 2C, 30-418 Kraków

Polska