Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mar	k: LUMINES Lighting
------------------------------	---------------------

Supplier's address: LED Labs Sp. z o.o., ul. Zakopiańska 2C, 30-418 Kraków Polska

Model identifier: LUM-ILEDOB-60-4K

Lighting technology used:	LED	Non-directional or directional:	DLS	
Light source cap-type	terminal block			
(or other electric interface)				
Mains or non-mains:	MLS	Connected light source (CLS):	No	
Colour-tuneable light source:	No	Envelope:	-	
High luminance light source:	No			
Anti-glare shield:	No	Dimmable:	No	
Product parameters				


Product parameters

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
Energy consur mode (kWh/10 up to the neare	00 h), rounded	20	Energy efficiency class	F	
dicating if it refe a sphere (360º)	s flux (φuse), in- ers to the flux in , in a wide cone errow cone (90º)	1 810 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000	
On-mode pow pressed in W	ver (P _{on}), ex-	20,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00	
(P _{net}) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	83	
Outer dimen-	Height	613	Spectral power dis-	See image	
sions without	Width	30	tribution in the	in last page	
separate con- trol gear, light- ing control	Depth	43	range 250 nm to 800 nm, at full-load		

	I	1	
parts and non-			
lighting con-			
trol parts, if			
any (millime- tre)			
,		If was savinglant	
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	_
		Chromaticity coordi-	0,383
		nates (x and y)	0,380
Parameters for directional light	sources:	,	
Peak luminous intensity (cd)	420	Beam angle in de-	99
		grees, or the range	
		of beam angles that	
		can be set	
Parameters for LED and OLED lig	ht sources:		
R9 colour rendering index value	11	Survival factor	1,00
the lumen maintenance factor	0,96		
Parameters for LED and OLED ma	ains light sources	:	
displacement factor (cos φ1)	0,89	Colour consistency	4
		in McAdam ellipses	
Claims that an LED light source	_(b)	If yes then replace-	-
replaces a fluorescent light		ment claim (W)	
source without integrated bal-			
last of a particular wattage.			
Flicker metric (Pst LM)	0,0	Stroboscopic effect metric (SVM)	0,3

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 02/11/2021



EPREL registration number: 911082 https://eprel.ec.europa.eu/qr/911082

Supplier: LED Labs S.A. (Manufacturer) **Website:**

Customer care service:

Name: LED Labs Sp. z o.o. Website: https://led-labs.pl/

Email: a.jaworski@led-labs.pl Phone: 733 377 705

Address:

ul. Zakopiańska 2C, 30-418 Kraków

Polska