Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Cree LED, inc.

Supplier's address: VP of Sale - EMEA, Anton Bruckner Strasse 7 85391 Allershausen Germany

Model identifier: CXB1304-0000-000ggUnn30G

| | Type | of | light | source: | |
|--|------|----|-------|---------|--|
|--|------|----|-------|---------|--|

trol gear, light-


ing control

| Lighting technology used: | | LED | Non-directional or directional: | NDLS |
|--|---|----------------------------|--|--------------|
| Light source cap-type | | NA | | |
| (or other electri | ic interface) | | | |
| Mains or non-m | nains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable | e light source: | No | Envelope: | - |
| High luminance | light source: | No | | |
| Anti-glare shield | d: | No | Dimmable: | Yes |
| | | Product para | meters | I |
| Parameter | | Value | Parameter | Value |
| | | General product p | parameters: | |
| · · | nption in on- 00 h), rounded st integer | 4 | Energy efficiency class | F |
| Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | | 475 in Wide cone (120°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000 |
| On-mode power (P _{on}), ex- pressed in W | | 3,6 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 |
| Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal | | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 90 |
| Outer dimen- | Height | 2 | Spectral power dis- | See image |
| sions without | Width | 13 | tribution in the | in last page |
| separate con- | Depth | 13 | range 250 nm to 800 | |

nm, at full-load

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | | | |
|--|------|------------------------------|-------|--|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | | |
| | | Chromaticity coordi- | 0,437 | | | |
| | | nates (x and y) | 0,404 | | | |
| Parameters for LED and OLED light sources: | | | | | | |
| R9 colour rendering index value | 60 | Survival factor | 1,00 | | | |
| the lumen maintenance factor | 1,00 | | | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 04/11/2014



EPREL registration number: 945494 https://eprel.ec.europa.eu/qr/945494

Supplier: Cree LED, Inc. (Authorised representative) **Website:** cree-led.com

Customer care service:

Name: VP of Sale - EMEA Website: cree-led.com

Email: stephan.schneider@cree-led.com Phone: +49 160 3479506

Address:

Anton Bruckner Strasse 7

85391 Allershausen

Germany