

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** ECO LIGHT

**Supplier's address:** ECO LIGHT Sp. z o.o., ul. Działkowa 2A 62-872 Borek k. Kalisza, PL

**Model identifier:** EC79836

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type (or other electric interface)	E27		
Mains or non-mains:	MLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No

## Product parameters

Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	10	Energy efficiency class	F
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500
On-mode power ( $P_{on}$ ), expressed in W	10,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	82
Outer dimensions without separate control gear, lighting control	Height	112	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	37	
	Depth	37	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,317 0,343
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	1	Survival factor	1,00
the lumen maintenance factor	0,96		
<b>Parameters for LED and OLED mains light sources:</b>			
displacement factor (cos $\phi_1$ )	0,50	Colour consistency in McAdam ellipses	3
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.	-(b)	If yes then replacement claim (W)	-
Flicker metric (Pst LM)	0,1	Stroboscopic effect metric (SVM)	0,1

(a)-: not applicable;

(b)-: not applicable;

## Lightsource Test Report

**Product Information**

Product Category: C37-E27-10W-6500K

Product Number: EC79836

**CIE Colorimetric Parameters**

Chromaticity coordinates:  $x=0.3173$   $y=0.3433$   $u(u')=0.1957$   $v=0.3176$   $v'=0.4765$

CCT:  $T_c=6186K$  ( $duv=0.00813$ )

Color Ratio:  $R=0.132$   $G=0.819$   $B=0.049$

Peak Wavelength: 449.1nm

Half Bandwidth: 21.2nm

Dominant Wavelength: 511.0nm

Color Purity: 0.049

CRI:  $R_a=80.7$

TM30:  $R_f=82$ ,  $R_g=95$

GAI:  $GAI\_BB\_8=88.6$ ,  $GAI\_BB\_15=93.7$ ,  $GAI\_EES=85.1$


R1 =78    R2 =83    R3 =88    R4 =81    R5 =79    R6 =79    R7 =88    R8 =69

R9 =1    R10=62    R11=80    R12=56    R13=79    R14=94    R15=73

Color Quality Scale:  $Q_a=81.5$ ,  $Q_f=81.4$ ,  $Q_p=82.0$ ,  $Q_g=91.6$

Q1 =85    Q2 =97    Q3 =77    Q4 =74    Q5 =81    Q6 =82    Q7 =85    Q8 =90

Q9 =96    Q10=85    Q11=83    Q12=82    Q13=83    Q14=70    Q15=76



**Photometric Parameters**

Luminous Flux: 930.61 lm

Efficiency: 92.14 lm/W

Radiant Power: 3.519 W

EEI: 0.12

Energy Efficiency Class: A+ (EU 874-2012)

**Electric Parameters**

Voltage: 230.20V

Current: 0.0390A

Power: 10.10W

Power Factor: 0.5610

Frequency: 49.99Hz

**Test Information**

Scan Range: 380~800:1nm

Photometric Method: sphere-spectroradiometer

Stabilization Time: 0 Min    ALC.: 1.0000

Photometric Condition: Sphere diameter: 1.50m, 4T

Max of Signal: 43504 (2706)

CCD Integration Time: 315.92 ms

Condition: Tx:24.2°C, Ti:22.8°C, R.H.:60%

Test Device: Inventfine CMS-3000S


Test Lab:

Test Time: 2021-10-16 13:48:02

Operator:

Inspector:

Model placed on the Union market from 01/09/2021



**EPREL registration number:** 1155684

<https://eprel.ec.europa.eu/qr/1155684>

**Supplier:** ECO LIGHT SPÓŁKA Z OGRANICZONĄ ODPOWIEDZIALNOŚCIĄ (Importer)

**Website:** [www.ecolight.pl](http://www.ecolight.pl)

**Customer care service:**

**Name:** ECO LIGHT Sp. z o.o.

**Website:**

**Email:** [marcin.wos@ecolight.pl](mailto:marcin.wos@ecolight.pl)

**Phone:** 505991688

**Address:**

ul. Działkowa 2A 62-872 Borek k. Kalisza  
Poland