
Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

| sources | ELEGATED REGUL | -AHON (EU) 2019/2 | .015 with regard to energ | gy labelling of light | | |
|--|------------------|-------------------------|--|---------------------------------|--|--|
| Supplier's name | e or trade mark: | Twinkly | | | | |
| Supplier's address: Info Twinkly, Via Tortona 37 , 20144 Milano, IT Model identifier: TWS400STP-BEU | | | | | | |
| | | | | | | |
| Lighting technol | logy used: | LED | Non-directional or directional: | NDLS | | |
| Light source cap-type | | Wire | | | | |
| (or other electric interface) | | | | | | |
| Mains or non-m | nains: | NMLS | Connected light source (CLS): | Yes | | |
| Colour-tuneable | e light source: | Yes | Envelope: | - | | |
| High luminance light source: | | No | | | | |
| Anti-glare shield: | | No | Dimmable: | Only with spe- cific dimmers | | |
| | | Product para | meters | | | |
| Parameter | | Value | Parameter | Value | | |
| General product parameters: | | | | | | |
| Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer | | 32 | Energy efficiency class | G | | |
| Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | | 235 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 20 670 | | |
| On-mode power (P _{on}), expressed in W | | 32,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,46 | | |
| Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal | | 0,46 | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 35 | | |
| Outer dimen- | Height | 16 000 | Spectral power dis- | See image | | |
| sions without | Width | 50 | tribution in the | in last page | | |
| separate con- trol gear, light- | Depth | 30 | range 250 nm to 800 nm, at full-load | | | |

| ing control parts and non-lighting control parts, if any (millimetre) | | | | | |
|---|------|------------------------------|-------|--|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | | |
| | | Chromaticity coordi- | 0,259 | | |
| | | nates (x and y) | 0,253 | | |
| Parameters for LED and OLED light sources: | | | | | |
| R9 colour rendering index value | 0 | Survival factor | 0,90 | | |
| the lumen maintenance factor | 0,93 | | | | |

(a)'-': not applicable; (b)'-': not applicable;



(All on mode)

Model placed on the Union market from 01/01/2020



EPREL registration number: 1179252 https://eprel.ec.europa.eu/qr/11

79252

Supplier: LEDWORKS S.R.L. (Manufacturer) Website: https://www.twinkly.com

Customer care service:

Name: Info Twinkly Website: https://www.twinkly.com

Email: info@ledworks.io Phone: +390492701898

Address:

Via Tortona 37 20144 Milano

Italy