Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade	mark: DCW Editions
--------------------------	--------------------

Supplier's address: DCW, rue de la fontaine au roi 71, 75011 paris, FR

Model identifier: SOUL STORY ANGLE 1

Type	of	light	source:
-,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		0	

Outer dimen-

sions without

separate con-

trol gear, light-

control

ing

Height

Width

Depth

Lighting technology used:	LED	Non-directional or directional:	NDLS			
Light source cap-type	LEAD WIRE					
(or other electric interface)						
Mains or non-mains:	NMLS	Connected light source (CLS):	No			
Colour-tuneable light source:	No	Envelope:	-			
High luminance light source:	No					
Anti-glare shield:	No	Dimmable:	No			
	Product para	meters				
Parameter	Value	Parameter	Value			
General product parameters:						
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer	10	Energy efficiency class	F			
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	1 030 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700			
On-mode power (P _{on}), ex- pressed in W	10,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00			
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80			

310

203

215

Spectral power dis-

range 250 nm to 800

nm, at full-load

in the

tribution

See image

in last page


parts and non- lighting con- trol parts, if any (millime- tre)					
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-		
		Chromaticity coordi-	0,463		
		nates (x and y)	0,420		
Parameters for LED and OLED light sources:					
R9 colour rendering index value	13	Survival factor	1,00		
the lumen maintenance factor	0,98				

(a)'-': not applicable; (b)'-': not applicable;



Page 12 of 13

REPORT NO.: LCS210920037BS





TRF No. (EU) 2019/2020



Shenzhen Southern LCS Compliance Testing Laboratory Ltd.

Add: 101-201, No.39 Building, Xialang Industrial Zone, Heshuikou Community, Matian Street, Guangming District, Shenzhen, China

Tel: *(86) 1755-29871520 | Fax: *(86) 0755-29871521 | E-mail: webmaster@lcs-cert.com | http://www.lcs-cert.com Scan code to check authenticity