Product Information Sheet

trol gear, light-

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light


sources	ELEGATED REGUI	ATION (EU) 2019/2	015 with regard to ener	gy labelling of light
Supplier's name	or trade mark:	Duralamp S.p.A.		
Supplier's addre	ess: Customer Ca	ire, Via Pratese, 164	50145 Florence - Italy	
Model identifie	r: L2973W-D			
Type of light so	urce:			
Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		R7s		
(or other electric interface)				
Mains or non-mains:		MLS	Connected light source (CLS):	No
Colour-tuneable light source:		No	Envelope:	-
High luminance light source:		No		
Anti-glare shield:		No	Dimmable:	Only with spe- cific dimmers
		Product para	meters	
Parameter		Value	Parameter	Value
		General product p	parameters:	
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		15	Energy efficiency class	E
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		2 000 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power (P _{on}), expressed in W		15,0	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00
Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80
Outer dimen-	Height	118	Spectral power dis-	See image
sions without separate con-	Width	29	tribution in the range 250 nm to 800	in last page
trol gear, light-	Depth	29	nm. at full-load	

nm, at full-load

ing control parts and non-lighting control parts, if any (millimetre)							
Claim of equivalent power ^(a)		Yes	If yes, equivalent power (W)	126			
			Chromaticity coordinates (x and y)	0,461 0,408			
Parameters for LED and OLED light sources:							
R9 colour rendering index value		3	Survival factor	0,90			
the lumen maintenance factor		0,96					
Parameters for LED and OLED mains light sources:							
displacement factor (cos φ1)		0,70	Colour consistency in McAdam ellipses	6			
Claims that an LED light source replaces a fluorescent light source without integrated ballast of a particular wattage.		_(b)	If yes then replace- ment claim (W)	-			
Flicker metric (Pst LM)		1,0	Stroboscopic effect metric (SVM)	0,9			

(a)_{'-'} : not applicable;

(b)_{'-'} : not applicable;



Model placed on the Union market from 01/09/2021



EPREL registration number: 1215194 https://eprel.ec.europa.eu/qr/12

15194

Supplier: DURA LAMP SRL (Importer) Website: www.duralamp.com

Customer care service:

Name: Customer Care Website: http://www.duralamp.it

Email: duralamp@duralamp.it Phone: +39055894881

Address:

Via Pratese, 164 50145 Florence - Italy