# **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

## Supplier's name or trade mark: FIAI

Supplier's address: Vertrieb, Egerbach 48, 6334 Schwoich, AT

### Model identifier: 115603

## Type of light source:

| Lighting technology used:     | LED  | Non-directional or directional: | DLS                             |
|-------------------------------|------|---------------------------------|---------------------------------|
| Light source cap-type         | WIRE |                                 |                                 |
| (or other electric interface) |      |                                 |                                 |
| Mains or non-mains:           | NMLS | Connected light source (CLS):   | No                              |
| Colour-tuneable light source: | No   | Envelope:                       | -                               |
| High luminance light source:  | Yes  |                                 |                                 |
| Anti-glare shield:            | No   | Dimmable:                       | Only with spe-<br>cific dimmers |


#### **Product parameters**

| Parameter                              |   | Value                         | Parameter  | Value        |  |  |
|--|---|-------------------------------|--|--------------|--|--|
| General product parameters:            |   |                               |  |              |  |  |
| • ·                                    | nption in on-<br>00 h), rounded<br>st integer                                   | 6                             | Energy efficiency<br>class   | F            |  |  |
| dicating if it refe<br>a sphere (360°) | s flux (φuse), in-<br>ers to the flux in<br>, in a wide cone<br>rrow cone (90º) | 525 in Nar-<br>row cone (90°) | Correlated colour<br>temperature,<br>rounded to the near-<br>est 100 K, or the<br>range of correlat-<br>ed colour temper-<br>atures, rounded to<br>the nearest 100 K,<br>that can be set | 27005700     |  |  |
| On-mode pow<br>pressed in W            | ver (P <sub>on</sub> ), ex-   | 5,8                           | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,10         |  |  |
| (P <sub>net</sub> ) for CLS, e         | andby power<br>expressed in W<br>the second dec-                                | -                             | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 90           |  |  |
| Outer dimen-                           | Height  | 68                            | Spectral power dis-  | See image    |  |  |
| sions without                          | Width   | 68                            | tribution in the   | in last page |  |  |
| separate con-<br>trol gear, light-     | Depth   | 30                            | range 250 nm to 800<br>nm, at full-load  |              |  |  |

| ing control<br>parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |       |   |                |  |  |  |
|---|-------|---|----------------|--|--|--|
| Claim of equivalent power <sup>(a)</sup>  | -     | lf yes, equivalent power (W)  | -              |  |  |  |
|   |       | Chromaticity coordi-<br>nates (x and y)                                       | 0,455<br>0,407 |  |  |  |
| Parameters for directional light sources:   |       |   |                |  |  |  |
| Peak luminous intensity (cd)  | 1 098 | Beam angle in de-<br>grees, or the range<br>of beam angles that<br>can be set | 45             |  |  |  |
| Parameters for LED and OLED light sources:  |       |   |                |  |  |  |
| R9 colour rendering index value   | 1     | Survival factor   | 0,90           |  |  |  |
| the lumen maintenance factor  | 0,70  |   |                |  |  |  |
| (a), , not applicable.  |       |   |                |  |  |  |

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 14/04/2022



**EPREL registration number:** 1289066

Supplier: FIAI Handels GmbH (Manufacturer)

**Customer care service:** 

Name: Vertrieb

Email: office@isoled.at

Address: Egerbach 48 6334 Schwoich Austria https://eprel.ec.europa.eu/qr/12 89066

Website: www.isoled.at

Website: https://isoled.shop

Phone: +43 5372 219999