Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark: | UMAGE |
|--------------------------------|-------|

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2517 (light-source)

| _ | • | | |
|------|-----|--------|---------|
| Typa | Λt | liaht | source: |
| IVDE | VI. | IIGIIL | source. |


| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|------------|---------------------------------|---------------------------------|
| Light source cap-type | Custom LED | | |
| (or other electric interface) | PCB 15-24V | | |
| | DC 350mA | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |

Product parameters

| Parameter | | Value | Parameter | Value |
|--|---|-------------------------|--|---------------------------|
| | General product parameters: | | | |
| | nption in on- 00 h), rounded st integer | 6 | Energy efficiency class | D |
| dicating if it refe a sphere (360º) | s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º) | 960 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000 |
| On-mode pow pressed in W | ver (P _{on}), ex- | 5,8 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 |
| (P _{net}) for CLS, 6 | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 82 |
| Outer dimensions without | Height Width | 139 139 | Spectral power distribution in the | See image in last page |
| separate con- | Depth | 1 | | |

| trol gear, lighting control parts and non-lighting control parts, if any (millimetre) | | range 250 nm to 800 nm, at full-load | |
|---|------|---|-------|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity coordi- | 0,437 |
| | | nates (x and y) | 0,404 |
| Parameters for LED and OLED light sources: | | | |
| R9 colour rendering index value | 2 | Survival factor | 0,90 |
| the lumen maintenance factor | 0,96 | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/11/2022



EPREL registration number: 1356287 https://eprel.ec.europa.eu/qr/13

56287

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

Customer care service:

Name: UMAGE ApS Website: www.umage.com

Address:

Havnegade 29 1058 Copenhagen

Denmark