## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

<b>Supplier's name or trade mark:</b> UMAGE	
---------------------------------------------	--

Supplier's address: UMAGE ApS, Havnegade 29, 1058 Copenhagen, DK

Model identifier: 2522 (light-source)

_	•			
Typa	Λt	liaht	sourc	Δ.
IVDE	OI.	IIGIIL	<b>3</b> Uui C	c.


Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	Custom LED		
(or other electric interface)	PCB 15-24V		
(or ourse orders made)	DC 350mA		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers

## **Product parameters**

Parameter	Parameter Value Parameter Value				
i didilictei				Value	
		General product p			
<u> </u>	nption in on- 00 h), rounded st integer	6	Energy efficiency class	D	
dicating if it refe a sphere (360º)	s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º)	960 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000	
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	5,8	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00	
(P <sub>net</sub> ) for CLS, 6	candby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	82	
Outer dimen-	Height	139	Spectral power dis-	See image	
sions without	Width	139	tribution in the	in last page	
separate con-	Depth	1			

trol gear, lighting control parts and non-lighting control parts, if any (millimetre)		range 250 nm to 800 nm, at full-load		
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-	
		Chromaticity coordi-	0,437	
		nates (x and y)	0,404	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	2	Survival factor	0,90	
the lumen maintenance factor	0,96			

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/11/2022



**EPREL registration number:** 1356294 https://eprel.ec.europa.eu/qr/13

56294

Supplier: UMAGE ApS (Manufacturer) Website: www.umage.com

**Customer care service:** 

Name: UMAGE ApS Website: www.umage.com

Address:

Havnegade 29 1058 Copenhagen

Denmark