Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark | : Kdln Srl |
|-------------------------------|------------|
|-------------------------------|------------|

Supplier's address: ufficio tecnico, Viale Francesco Crispi 5, 20121 Milano Milano MI, IT

Model identifier: LED KUSHI 16 CC - RO

| Type of light source: | Type | of light | source: |
|-----------------------|------|----------|---------|
|-----------------------|------|----------|---------|


| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|------|---------------------------------|---------------------------------|
| Light source cap-type | WIRE | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Only with spe- cific dimmers |

Product parameters

| Product parameters | | | | |
|--|--|----------------------------|--|--------------|
| Parameter | | Value | Parameter | Value |
| | | General product p | arameters: | |
| <u> </u> | nption in on- 00 h), rounded st integer | 4 | Energy efficiency class | E |
| dicating if it refe a sphere (360º) | s flux (фuse), in- ers to the flux in , in a wide cone arrow cone (90º) | 550 in Wide cone (120°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 700 |
| On-mode pow pressed in W | ver (P _{on}), ex- | 4,2 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 |
| (P _{net}) for CLS, 6 | candby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 80 |
| Outer dimen- | Height | 48 | Spectral power dis- | See image |
| sions without | Width | 48 | tribution in the | in last page |
| separate con- trol gear, light- | Depth | 6 | range 250 nm to 800 nm, at full-load | |

| ing control parts and non- lighting con- trol parts, if any (millime- tre) | | | |
|--|------|------------------------------|-------|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity coordi- | 0,458 |
| | | nates (x and y) | 0,410 |
| Parameters for LED and OLED light sources: | | | |
| R9 colour rendering index value | 25 | Survival factor | 0,98 |
| the lumen maintenance factor | 0,97 | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/10/2022



EPREL registration number: 1369383 https://eprel.ec.europa.eu/qr/13

69383

Supplier: Kdln Srl (Manufacturer) Website:

Customer care service:

Name: ufficio tecnico Website: www.kdln.it

Email: gianella@kdln.it Phone: 0236538950

Address:

Viale Francesco Crispi 5

20121 Milano

Italy