Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: Help desk, Star Street 1, 51250 Svenljunga, SE

Model identifier: 491-13-1

| Type of light source: | Type | of light | source: |
|-----------------------|------|----------|---------|
|-----------------------|------|----------|---------|


| Lighting technology used: | LED | Non-directional or directional: | NDLS | |
|-------------------------------|-------|---------------------------------|------|--|
| Light source cap-type | Fixed | | | |
| (or other electric interface) | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No | |
| Colour-tuneable light source: | No | Envelope: | - | |
| High luminance light source: | No | | | |
| Anti-glare shield: | No | Dimmable: | No | |
| Dura durat in anno actains | | | | |

Product parameters

| Froduct parameters | | | | | | |
|---|--|------------------------|--|--------------|--|--|
| Parameter | | Value | Parameter | Value | | |
| General product parameters: | | | | | | |
| <u> </u> | mption in on- 00 h), rounded st integer | 1 | Energy efficiency class | G | | |
| dicating if it refe a sphere (360°) | s flux (фuse), ineers to the flux in , in a wide cone arrow cone (90º) | 65 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 400 | | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 1,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | | |
| (P _{net}) for CLS, 6 | tandby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 55 | | |
| Outer dimen- | Height | 30 | Spectral power dis- | See image | | |
| sions without | Width | 5 000 | tribution in the | in last page | | |
| separate con- trol gear, light- ing control | Depth | 10 | range 250 nm to 800 nm, at full-load | | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | |
|--|------|------------------------------|-------|--|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - | |
| | | Chromaticity coordi- | 0,495 | |
| | | nates (x and y) | 0,420 | |
| Parameters for LED and OLED light sources: | | | | |
| R9 colour rendering index value | -77 | Survival factor | 0,90 | |
| the lumen maintenance factor | 0,77 | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 02/01/2023



EPREL registration number: 1428537 https://eprel.ec.europa.eu/qr/14

28537

Supplier: Star Trading i Svenljunga AB (Manufacturer) Website: www.startrading.com

Customer care service:

Name: Help desk Website: www.startrading.com

Email: kundtjanst@startrading.com Phone: +4632512000

Address: Star Street 1 51250 Svenljunga

Sweden