## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: TP-Link				
Supplier's address: TP-LINK Czech s.r.o., Pekařská 695/10, 15000 Prague, CZ				
Model identifier: 1900-10				


## Type of light source: Lighting technology used: Non-directional **NDLS** LED directional: Light source cap-type **LED Light Strip** (or other electric interface) Mains or non-mains: **NMLS** Connected light Yes source (CLS): Colour-tuneable light source: Yes Envelope: High luminance light source: No

## Mains or non-mains: NMLS Connected light source (CLS): Colour-tuneable light source: High luminance light source: No Anti-glare shield: Product parameters Parameter Value Parameter Value General product parameters: Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer Useful luminous flux (фuse), in NMLS Connected light yes Finvelope: Parameter: Yes Parameters Value General product parameters: Energy efficiency G class Correlated colour 6 000

J 0,	nption in on- 00 h), rounded st integer	4	Energy efficiency class	G
dicating if it refe a sphere (360°)	s flux (φuse), in- ers to the flux in , in a wide cone rrow cone (90º)	120 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 000
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	3,5	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,50
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	0,50	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	30
Outer dimen-	Height	1 000	Spectral power dis-	See image
sions without separate con- trol gear, light- ing control	Width	10	tribution in the	in last page
	Depth	1	range 250 nm to 800 nm, at full-load	

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,324			
		nates (x and y)	0,347			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	1,00			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 01/01/2022



**EPREL registration number:** 1546542 https://eprel.ec.europa.eu/qr/15

46542

**Supplier:** TP-LINK Czech s.r.o. (Importer) **Website:** 

**Customer care service:** 

Name: TP-LINK Czech s.r.o. Website:

Email: support.cz@tp-link.com Phone: +420212812622

Address:

Pekařská 695/10 15000 Prague Czech Republic