Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or trade mark: Radium

Supplier's address: Radium Customer Service, Dr. Eugen Kersting Str. 6, 51688 Wipperfürth, DE

Model identifier: 4008597207402

Type of light source:

trol gear, light-

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type	GU5.3		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	Only with spe- cific dimmers


Product parameters Parameter Parameter Value Value **General product parameters:** Energy consumption in on-6 Energy efficiency G mode (kWh/1000 h), rounded class up to the nearest integer Useful luminous flux (duse), in-350 in Nar-Correlated colour 2 700 dicating if it refers to the flux in row cone (90°) temperature, a sphere (360°), in a wide cone rounded to the nearest 100 K, or the (120°) or in a narrow cone (90°) range of correlated colour temperatures, rounded to the nearest 100 K, that can be set 0,00 On-mode power (P_{on}), 5,3 Standby power (P_{sb}), expressed in W expressed in W and rounded to the second decimal Colour rendering in-90 Networked standby power (P_{net}) for CLS, expressed in W dex, rounded to the and rounded to the second decnearest integer, or the range of CRI-valimal ues that can be set Outer dimen-46 Spectral power dis-See image Height sions without tribution in the in last page Width 51 separate conrange 250 nm to 800 Depth 51

nm, at full-load

ing control parts and non- lighting con- trol parts, if any (millime- tre)				
Claim of equivalent power ^(a)	Yes	If yes, equivalent power (W)	35	
		Chromaticity coordi- nates (x and y)	0,459 0,406	
Parameters for directional light	sources:	· · ·		
Peak luminous intensity (cd)	620	Beam angle in de- grees, or the range of beam angles that can be set	36	
Parameters for LED and OLED light sources:				
R9 colour rendering index value	0	Survival factor	0,90	
the lumen maintenance factor	0,70			
(a), , , not condicable.				

(a)'-' : not applicable;

(b)'-' : not applicable;



Model placed on the Union market from 20/12/2023



EPREL registration number: 1569006https://eprel.ec.europa.eu/qr/15
69006Supplier: Radium Lampenwerk GmbH (Manufacturer)Website: www.radium.deCustomer care service:Website: www.radium.deName: Radium Customer ServiceWebsite: www.radium.deEmail: customerservice@radium.dePhone: +49 2267 81 1Address:Dr. Eugen Kersting Str. 651688 Wipperfürth
GermanyGermany