

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** PHILIPS

**Supplier's address:** Customer Care Philips, I.B.R.S./C.C.R.I. /Numéro 10461, 5600VB Eindhoven, NL

**Model identifier:** 8711500631954

## Type of light source:

|   |          |                                 |      |
|---|----------|---------------------------------|------|
| Lighting technology used:                           | other FL | Non-directional or directional: | NDLS |
| Light source cap-type (or other electric interface) | G13      |                                 |      |
| Mains or non-mains:                                 | NMLS     | Connected light source (CLS):   | No   |
| Colour-tuneable light source:                       | No       | Envelope:                       | -    |
| High luminance light source:                        | No       |                                 |      |
| Anti-glare shield:                                  | No       | Dimmable:                       | Yes  |


## Product parameters

| Parameter   | Value                  | Parameter  | Value                  |
|---|------------------------|--|------------------------|
| <b>General product parameters:</b>  |                        |  |                        |
| Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer   | 37                     | Energy efficiency class  | G                      |
| Useful luminous flux ( $\phi_{\text{use}}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | 3 350 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000                  |
| On-mode power ( $P_{\text{on}}$ ), expressed in W   | 36,8                   | Standby power ( $P_{\text{sb}}$ ), expressed in W and rounded to the second decimal  | 0,00                   |
| Networked standby power ( $P_{\text{net}}$ ) for CLS, expressed in W and rounded to the second decimal  | -                      | Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set   | 82                     |
| Outer dimensions without separate control gear, lighting control  | Height                 | Spectral power distribution in the range 250 nm to 800 nm, at full-load  | See image in last page |
|   | Width                  |  |                        |
|   | Depth                  |  |                        |

|   |   |                                    |                |  |
|---|---|------------------------------------|----------------|--|
| parts and non-lighting control parts, if any (millimetre) |   |                                    |                |  |
| Claim of equivalent power <sup>(a)</sup>                  | - | If yes, equivalent power (W)       | -              |  |
|   |   | Chromaticity coordinates (x and y) | 0,440<br>0,403 |  |

(a) : not applicable;

(b) : not applicable;



Model placed on the Union market from 01/09/2021 to 24/08/2023



**EPREL registration number:** 423379

<https://eprel.ec.europa.eu/qr/423379>

**Supplier:** Signify Netherlands B.V. (Manufacturer)

**Website:** [www.signify.com](http://www.signify.com)

**Customer care service:**

**Name:** Customer Care Philips

**Website:** [www.philips.com/lighting](http://www.philips.com/lighting)

**Email:** [EPREL.PhilipsLighting@Signify.com](mailto:EPREL.PhilipsLighting@Signify.com)

**Phone:** 00800 744 547 75

**Address:**

I.B.R.S./C.C.R.I. /Numéro 10461  
5600VB Eindhoven  
Netherlands