
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources			o 13 with regard to energ	8, 100 cm. 18 cm. 18 mg. 10							
Supplier's name or trade mark: Paulmann  Supplier's address: Info, Quezinger Feld 2, 31832 Springe-Völksen, DE  Model identifier: 28818											
							Type of light so	urce:			
							Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		G4									
(or other electric interface)											
Mains or non-mains:		NMLS	Connected light source (CLS):	No							
Colour-tuneable light source:		No	Envelope:	-							
High luminance light source:		No									
Anti-glare shield:		No .	Dimmable:	No							
		Product para									
Parameter		Value	Parameter	Value							
Fnormy consur	mntion in on	General product p		Г							
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		3	Energy efficiency class	F							
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		300 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000							
On-mode power (P <sub>on</sub> ), expressed in W		3,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00							
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	84							
Outer dimen-	Height	47	Spectral power dis-	See image							
sions without separate con- trol gear, light- ing control	Width Depth	17 17	tribution in the range 250 nm to 800 nm, at full-load	in last page							

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	32			
		Chromaticity coordi-	0,374			
		nates (x and y)	0,373			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	13	Survival factor	-			
the lumen maintenance factor	-					

(a)'-': not applicable; (b)'-': not applicable;



## Model placed on the Union market from 08/09/2020



EPREL registration number: 461018 https://eprel.ec.europa.eu/qr/461018

Supplier: Paulmann Licht GmbH (Importer) Website: www.paulmann.com

**Customer care service:** 

Name: Info Website: www.paulmann.com

**Email:** info@paulmann.de **Phone:** +49 (0) 5041 998 0

Address:

Quezinger Feld 2 31832 Springe-Völksen

Germany