## **Product Information Sheet**


ing control

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light

commission D sources	ELEGATED REGUI	-ATION (EU) 2019/2	015 with regard to ener	gy labelling of light		
Supplier's name	e or trade mark:	Radium				
Supplier's address: Radium Customer Service, Dr. Eugen Kersting Str. 6, 51688 Wipperfürth, DE  Model identifier: 4008597201820						
Lighting technology used:		LED	Non-directional or directional:	DLS		
Light source cap-type		GU4				
(or other electric interface)						
Mains or non-mains:		NMLS	Connected light source (CLS):	No		
Colour-tuneable light source:		No	Envelope:	-		
High luminance light source:		No				
Anti-glare shield:		No	Dimmable:	No		
		Product para	meters			
Parameter		Value	Parameter	Value		
		General product p	arameters:			
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		5	Energy efficiency class	F		
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		345 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700		
On-mode power (P <sub>on</sub> ), ex- pressed in W		4,2	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00		
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80		
Outer dimen-	Height	38	Spectral power dis-	See image		
sions without	Width	35	tribution in the	in last page		
separate con- trol gear, light-	Depth	35	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	Yes	If yes, equivalent power (W)	35			
		Chromaticity coordi-	0,458			
		nates (x and y)	0,410			
Parameters for directional light sources:						
Peak luminous intensity (cd)	600	Beam angle in degrees, or the range of beam angles that can be set	36			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	0	Survival factor	0,90			
the lumen maintenance factor	0,70					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 19/09/2022 to 11/03/2024



**EPREL registration number:** 541703 https://eprel.ec.europa.eu/qr/541703

Supplier: Radium Lampenwerk GmbH (Manufacturer) Website: www.radium.de

**Customer care service:** 

Name: Radium Customer Service Website: www.radium.de

Email: customerservice@radium.de Phone: +49 2267 81 1

**Address:** 

Dr. Eugen Kersting Str. 6 51688 Wipperfürth

Germany