Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's name or	trade mark:	OSRAM
--------------------	-------------	-------

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC34188


Tvi	рe	of	lig	ht	SO	urce	:
. , ,		•	о		-		•

directional: Light source cap-type G10q (or other electric interface) Mains or non-mains: NMLS Connected light No source (CLS): Colour-tuneable light source: No Envelope: - High luminance light source: No Anti-glare shield: No Dimmable: Yes	Product parameters					
Light source cap-type (or other electric interface) Mains or non-mains: NMLS Connected light source (CLS): Colour-tuneable light source: No Envelope:	Anti-glare shield:	No	Dimmable:	Yes		
Light source cap-type (or other electric interface) Mains or non-mains: NMLS Connected light No source (CLS):	High luminance light source:	No				
Light source cap-type G10q (or other electric interface) Mains or non-mains: NMLS Connected light No	Colour-tuneable light source:	No	Envelope:	-		
Light source cap-type G10q	Mains or non-mains:	NMLS		No		
	(or other electric interface)					
directional:	Light source cap-type	G10q				
Lighting technology used: other FL Non-directional or NDLS	Lighting technology used:	other FL		NDLS		

Product parameters						
Parameter		Value	Parameter	Value		
	General product parameters:					
<u> </u>	mption in on- 00 h), rounded st integer	23	Energy efficiency class	G		
dicating if it refe a sphere (360º)	s flux (фuse), ineers to the flux in , in a wide cone arrow cone (90º)	1 150 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	6 500		
On-mode pow pressed in W	ver (P _{on}), ex-	22,9	Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal	0,00		
(P _{net}) for CLS, 6	tandby power expressed in W the second dec-	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	80		
Outer dimen-	Height	209	Spectral power dis-	See image		
sions without	Width	216	tribution in the	in last page		
separate con- trol gear, light- ing control	Depth	216	range 250 nm to 800 nm, at full-load			

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power ^(a)	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,313 0,337

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 03/09/2021



EPREL registration number: 546413 https://eprel.ec.europa.eu/qr/546413

Supplier: LEDVANCE GmbH (Manufacturer) Website: http://www.ledvance.com/

Customer care service:

Name: LEDVANCE GmbH Website:

Email: contact@ledvance.com Phone: +49 89-780673-100

Address:

Parkring 33, Garching, Germany