Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier | 's | name | or | trade | mark: | Radium |
|----------|----|------|----|-------|-------|--------|
|----------|----|------|----|-------|-------|--------|

Supplier's address: Radium Customer Service, Dr. Eugen Kersting Str. 6, 51688 Wipperfürth, DE

Model identifier: 4008597196195

| Type of light source: | Type | of light | source: |
|-----------------------|------|----------|---------|
|-----------------------|------|----------|---------|


| Lighting technology used: | LED | Non-directional or directional: | NDLS |
|-------------------------------|------|---------------------------------|------|
| Light source cap-type | G5 | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | No |

Product parameters

| Product parameters | | | | | |
|--|----------------|-------------------------|--|--------------|--|
| Parameter | Parameter | | Parameter | Value | |
| General product parameters: | | | | | |
| Energy consur mode (kWh/10 up to the neare | 00 h), rounded | 8 | Energy efficiency class | E | |
| Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°) | | 900 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000 | |
| On-mode power (P _{on}), expressed in W | | 7,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | |
| Networked standby power (P _{net}) for CLS, expressed in W and rounded to the second decimal | | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 83 | |
| Outer dimen- | Height | 549 | Spectral power dis- | See image | |
| sions without | Width | 17 | tribution in the | in last page | |
| separate con- trol gear, light- ing control | Depth | 17 | range 250 nm to 800 nm, at full-load | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | | |
|--|------|------------------------------|-------|--|
| Claim of equivalent power ^(a) | Yes | If yes, equivalent power (W) | 14 | |
| | | Chromaticity coordi- | 0,433 | |
| | | nates (x and y) | 0,403 | |
| Parameters for LED and OLED light sources: | | | | |
| R9 colour rendering index value | 0 | Survival factor | 0,90 | |
| the lumen maintenance factor | 0,70 | | | |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 04/10/2022



EPREL registration number: 569500 https://eprel.ec.europa.eu/qr/569500

Supplier: Radium Lampenwerk GmbH (Manufacturer) Website: www.radium.de

Customer care service:

Name: Radium Customer Service Website: www.radium.de

Email: customerservice@radium.de Phone: +49 2267 81 1

Address:

Dr. Eugen Kersting Str. 6 51688 Wipperfürth

Germany