Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany


Model identifier: AM42356

| | · · · · · · · · · · · · · · · · · · · | | | | |
|-------------------------------|---------------------------------------|---------------------------------|--------|--|--|
| Lighting technology used: | МН | Non-directional or directional: | NDLS | | |
| Light source cap-type | G12 | | | | |
| (or other electric interface) | | | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No | | |
| Colour-tuneable light source: | No | Envelope: | Second | | |
| High luminance light source: | No | | | | |
| Anti-glare shield: | No | Dimmable: | No | | |
| Product parameters | | | | | |
| Darameter | Malue | Darameter | Malue | | |

| Product parameters | | | | | | |
|---|---|---------------------------|--|--------------|--|--|
| Parameter | | Value | Parameter | Value | | |
| General product parameters: | | | | | | |
| - · | nption in on- 00 h), rounded st integer | 74 | Energy efficiency class | D | | |
| dicating if it refe a sphere (360º) | s flux (фuse), in- ers to the flux in , in a wide cone rrow cone (90º) | 5 400 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 4 200 | | |
| On-mode pow pressed in W | ver (P _{on}), ex- | 74,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 | | |
| (P _{net}) for CLS, 6 | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 80 | | |
| Outer dimen- | Height | 84 | Spectral power dis- | See image | | |
| sions without | Width | 25 | tribution in the | in last page | | |
| separate control gear, lighting control | Depth | 25 | range 250 nm to 800 nm, at full-load | | | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | |
|--|---|------------------------------------|----------------|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity coordinates (x and y) | 0,372 0,369 |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 03/09/2021



EPREL registration number: 666226 https://eprel.ec.europa.eu/qr/666226

Supplier: LEDVANCE GmbH (Manufacturer) Website: http://www.ledvance.com/

Customer care service:

Name: LEDVANCE GmbH Website:

Email: contact@ledvance.com Phone: +49 89-780673-100

Address:

Parkring 33, Garching, Germany