## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's na | ame or trad | e mark: | Radium |
|---------------|-------------|---------|--------|
|---------------|-------------|---------|--------|

Supplier's address: Radium Customer Service, Dr. Eugen Kersting Str. 6, 51688 Wipperfürth, DE

**Model identifier:** 4008597159756


| Lighting technology used:     | HL  | Non-directional or directional: | NDLS |
|-------------------------------|-----|---------------------------------|------|
| Light source cap-type         | R7s |                                 |      |
| (or other electric interface) |     |                                 |      |
| Mains or non-mains:           | MLS | Connected light source (CLS):   | No   |
| Colour-tuneable light source: | No  | Envelope:                       | -    |
| High luminance light source:  | No  |                                 |      |
| Anti-glare shield:            | No  | Dimmable:                       | Yes  |
|                               |     |                                 |      |

## **Product parameters**

| Froduct parameters                                |  |                            |  |              |  |
|---|--|----------------------------|--|--------------|--|
| Parameter   |  | Value                      | Parameter  | Value        |  |
| General product parameters:                       |  |                            |  |              |  |
|   | mption in on-<br>00 h), rounded<br>st integer                                    | 1 010                      | Energy efficiency class  | G            |  |
| dicating if it refe<br>a sphere (360º)            | s flux (фuse), in-<br>ers to the flux in<br>, in a wide cone<br>arrow cone (90º) | 21 000 in<br>Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 3 000        |  |
| On-mode pow<br>pressed in W                       | ver (P <sub>on</sub> ), ex-  | 1 000,0                    | Standby power (P <sub>sb</sub> ),<br>expressed in W and<br>rounded to the sec-<br>ond decimal  | 0,00         |  |
| (P <sub>net</sub> ) for CLS, 6                    | candby power expressed in W the second dec-                                      | -                          | Colour rendering in-<br>dex, rounded to the<br>nearest integer, or<br>the range of CRI-val-<br>ues that can be set   | 100          |  |
| Outer dimen-                                      | Height   | 15                         | Spectral power dis-  | See image    |  |
| sions without                                     | Width  | 192                        | tribution in the   | in last page |  |
| separate con-<br>trol gear, light-<br>ing control | Depth  | 12                         | range 250 nm to 800<br>nm, at full-load  |              |  |

| parts and non-<br>lighting con-<br>trol parts, if<br>any (millime-<br>tre) |   |                                    |                |
|--|---|------------------------------------|----------------|
| Claim of equivalent power <sup>(a)</sup>                                   | - | If yes, equivalent power (W)       | -              |
|  |   | Chromaticity coordinates (x and y) | 0,446<br>0,407 |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 06/10/2021



**EPREL registration number:** 703280 https://eprel.ec.europa.eu/qr/703280

Supplier: Radium Lampenwerk GmbH (Manufacturer) Website: www.radium.de

**Customer care service:** 

Name: Radium Customer Service Website: www.radium.de

Email: customerservice@radium.de Phone: +49 2267 81 1

**Address:** 

Dr. Eugen Kersting Str. 6 51688 Wipperfürth

Germany