## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

<b>Supplier's name or trade mark:</b> Kan	ux
---	----

Supplier's address: Kanlux SA, Objazdowa 1-3, 41-922 Radzionków, PL

Model identifier: C260S-LED - BENO 24W NW-L-SE GR


_	•			
Type	Λt	liont	COLL	rca.
IVDE	VI.	HEIL	SOU	ıcc.

Lighting technology used:	LED	Non-directional or directional:	NDLS
Light source cap-type	connector		
(or other electric interface)			
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	No	Dimmable:	No
Product parameters			
Danamakan	Malina	Damanaskan	Malica

Product parameters					
Parameter		Value	Parameter	Value	
General product parameters:					
<u> </u>	nption in on- 00 h), rounded st integer	22	Energy efficiency class	Е	
Useful luminous flux (фuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		2 900 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	4 000	
On-mode pow pressed in W	ver (P <sub>on</sub> ), ex-	22,0	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	-	
(P <sub>net</sub> ) for CLS, 6	andby power expressed in W the second dec-	-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80	
Outer dimen-	Height	218	Spectral power dis-	See image	
sions without	Width	218	tribution in the	in last page	
separate con- trol gear, light- ing control	Depth	1	range 250 nm to 800 nm, at full-load		

parts and non- lighting con- trol parts, if any (millime- tre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordi-	0,380
		nates (x and y)	0,380
Parameters for LED and OLED light sources:			
R9 colour rendering index value	12	Survival factor	0,90
the lumen maintenance factor	0,95		

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 05/11/2020



**EPREL registration number:** 706112 https://eprel.ec.europa.eu/qr/706112

Supplier: KANLUX SA (Manufacturer) Website: www.kanlux.com

**Customer care service:** 

Name: Kanlux SA Website: www.kanlux.com

**Email:** kanlux@kanlux.pl **Phone:** (+48 32) 388 74 00

Address:

Objazdowa 1-3 41-922 Radzionków

Poland