Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

| Supplier's name or trade mark | c: LEDVANCE |
|-------------------------------|-------------|
|-------------------------------|-------------|

Supplier's address: LEDVANCE GmbH, Parkring 33, Garching, Germany

Model identifier: AC35321

| Tyne | οf | liσht | sourc | ۵. |
|------|-----|-------|-------|----|
| IVDE | UI. | HEIIL | Souit | ┖. |


| Lighting technology used: | other | Non-directional or directional: | NDLS |
|-------------------------------|--------|---------------------------------|------|
| Light source cap-type | GY6.35 | | |
| (or other electric interface) | | | |
| Mains or non-mains: | NMLS | Connected light source (CLS): | No |
| Colour-tuneable light source: | No | Envelope: | - |
| High luminance light source: | No | | |
| Anti-glare shield: | No | Dimmable: | Yes |
| Product parameters | | | |

Product parameters

| Product parameters | | | | |
|---|--|-------------------------|--|--------------|
| Parameter | | Value | Parameter | Value |
| General product parameters: | | | | |
| Energy consur mode (kWh/10 up to the neares | 00 h), rounded | 35 | Energy efficiency class | G |
| dicating if it refe a sphere (360º) | s flux (фuse), ineers to the flux in, in a wide coneerrow cone (90º) | 800 in Sphere (360°) | Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set | 2 900 |
| On-mode pow pressed in W | ver (P _{on}), ex- | 37,0 | Standby power (P _{sb}), expressed in W and rounded to the sec- ond decimal | 0,00 |
| (P _{net}) for CLS, 6 | andby power expressed in W the second dec- | - | Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set | 100 |
| Outer dimen- | Height | 44 | Spectral power dis- | See image |
| sions without | Width | 12 | tribution in the | in last page |
| separate con- trol gear, light- ing control | Depth | 12 | range 250 nm to 800 nm, at full-load | |

| parts and non- lighting con- trol parts, if any (millime- tre) | | | |
|--|---|------------------------------------|----------------|
| Claim of equivalent power ^(a) | - | If yes, equivalent power (W) | - |
| | | Chromaticity coordinates (x and y) | 0,444 0,406 |

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 06/09/2021



EPREL registration number: 714431 https://eprel.ec.europa.eu/qr/714431

Supplier: LEDVANCE GmbH (Manufacturer) Website: http://www.ledvance.com/

Customer care service:

Name: LEDVANCE GmbH Website:

Email: contact@ledvance.com Phone: +49 89-780673-100

Address:

Parkring 33, Garching, Germany