
## **Product Information Sheet**

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

sources		2(20, 2013, 2	o 13 With regula to energ	B) 1450 8 01 118.110							
Supplier's name or trade mark: Robus  Supplier's address: Reception, Nangor Road, Dublin 12, Ireland  Model identifier: RLEDSTR10X-LS											
							Type of light so	urce:			
							Lighting technology used:		LED	Non-directional or directional:	NDLS
Light source cap-type		102mA									
(or other electric interface)											
Mains or non-mains:		NMLS	Connected light source (CLS):	No							
Colour-tuneable light source:		No	Envelope:	-							
High luminance light source:		No									
Anti-glare shield:		No	Dimmable:	No							
Product parameters											
Parameter		Value	Parameter	Value							
General product parameters:											
Energy consumption in on- mode (kWh/1000 h), rounded up to the nearest integer		9	Energy efficiency class	D							
Useful luminous flux (φuse), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)		1 300 in Sphere (360°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	3 000 or 4 000							
On-mode power (P <sub>on</sub> ), expressed in W		8,2	Standby power (P <sub>sb</sub> ), expressed in W and rounded to the sec- ond decimal	0,00							
Networked standby power (P <sub>net</sub> ) for CLS, expressed in W and rounded to the second decimal		-	Colour rendering in- dex, rounded to the nearest integer, or the range of CRI-val- ues that can be set	80							
Outer dimen-	Height	605	Spectral power dis-	See image							
sions without	Width	16	tribution in the	in last page							
separate con- trol gear, light- ing control		2	range 250 nm to 800 nm, at full-load								

parts and non- lighting con- trol parts, if any (millime- tre)						
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-			
		Chromaticity coordi-	0,438			
		nates (x and y)	0,404			
Parameters for LED and OLED light sources:						
R9 colour rendering index value	3	Survival factor	1,00			
the lumen maintenance factor	0,96					

(a)'-': not applicable; (b)'-': not applicable;



Model placed on the Union market from 28/03/2022



**EPREL registration number:** 734925 https://eprel.ec.europa.eu/qr/734925

Supplier: LED Group (Manufacturer) Website: https://robus.com/

**Customer care service:** 

Name: Reception Website:

**Email:** info@robus.com **Phone:** +353 1 709 9000

Address:

Nangor Road, Dublin 12, Ireland