

# Product Information Sheet

COMMISSION DELEGATED REGULATION (EU) 2019/2015 with regard to energy labelling of light sources

**Supplier's name or trade mark:** Menu A/S

**Supplier's address:** PD, Aarhusgade 130, 2150 Nordhavn -, DK

**Model identifier:** 4863859 Carrie Lamp

## Type of light source:

Lighting technology used:	LED	Non-directional or directional:	DLS
Light source cap-type (or other electric interface)	PCB Board (Gear)		
Mains or non-mains:	NMLS	Connected light source (CLS):	No
Colour-tuneable light source:	No	Envelope:	-
High luminance light source:	No		
Anti-glare shield:	Yes	Dimmable:	Yes

## Product parameters

Parameter	Value	Parameter	Value
<b>General product parameters:</b>			
Energy consumption in on-mode (kWh/1000 h), rounded up to the nearest integer	2	Energy efficiency class	G
Useful luminous flux ( $\phi_{use}$ ), indicating if it refers to the flux in a sphere (360°), in a wide cone (120°) or in a narrow cone (90°)	155 in Wide cone (120°)	Correlated colour temperature, rounded to the nearest 100 K, or the range of correlated colour temperatures, rounded to the nearest 100 K, that can be set	2 700
On-mode power ( $P_{on}$ ), expressed in W	2,0	Standby power ( $P_{sb}$ ), expressed in W and rounded to the second decimal	0,00
Networked standby power ( $P_{net}$ ) for CLS, expressed in W and rounded to the second decimal	-	Colour rendering index, rounded to the nearest integer, or the range of CRI-values that can be set	79
Outer dimensions without separate control gear, lighting control	Height	6	Spectral power distribution in the range 250 nm to 800 nm, at full-load
	Width	50	
	Depth	50	
			See image in last page

parts and non-lighting control parts, if any (millimetre)			
Claim of equivalent power <sup>(a)</sup>	-	If yes, equivalent power (W)	-
		Chromaticity coordinates (x and y)	0,462 0,411
<b>Parameters for directional light sources:</b>			
Peak luminous intensity (cd)	91	Beam angle in degrees, or the range of beam angles that can be set	160
<b>Parameters for LED and OLED light sources:</b>			
R9 colour rendering index value	12	Survival factor	0,00
the lumen maintenance factor	0,85		

(a) : not applicable;

(b) : not applicable;


# Spectrum Test Report



## Color Parameters:

Chromaticity Coordinate:  $x=0.4896$   $y=0.4121$  /  $u'=0.2812$   $v'=0.5324$

Model placed on the Union market from 01/09/2021



**EPREL registration number:** 738193

<https://eprel.ec.europa.eu/qr/738193>

**Supplier:** AUDO A/S (Importer)

**Website:** <https://audocph.com/>

**Customer care service:**

**Name:** PD

**Website:** [www.menuspace.com](http://www.menuspace.com)

**Email:** [bda@menuspace.com](mailto:bda@menuspace.com)

**Phone:** +4527804705

**Address:**

Aarhusgade 130

2150 Nordhavn

Denmark